

Revision date : 2022/09/27 Version: 4.0

Page: 1/10 (30035054/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Hydroxycitronellal

Recommended use of the chemical and restriction on use

Recommended use*: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF Canada Inc. 5025 Creekbank Road Building A, Floor 2 Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: (800) 454-COPE (2673)

Other means of identificationSynonyms:7-Hydroxycitronellal

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Eye Dam./Irrit.	2A
Skin Sens.	1

Serious eye damage/eye irritation Skin sensitization

Revision date: 2022/09/27 Version: 4.0

Aquatic Acute	3	Hazardous to the aquatic environment - acute	
Label elements			
Pictogram:			
\checkmark			
Signal Word: Warning			
Hazard Statement: H319	Causes serious eye irritatio		
H317	May cause an allergic skin		
H402	Harmful to aquatic life.		
Precautionary Stateme	nts (Prevention):		
P280		eye protection or face protection.	
P261 P273	Avoid breathing mist or vap Avoid release to the environ		
P273 P272		g should not be allowed out of the workplace.	
P264		parts thoroughly after handling.	
Precautionary Statements (Response):			
P305 + P351 + P338		sly with water for several minutes. Remove nd easy to do. Continue rinsing.	
P302 + P352	IF ON SKIN: Wash with ple	enty of soap and water.	
P333 + P313	If skin irritation or rash occu		
P362 + P364		hing and wash it before reuse.	
P337 + P313	If eye irritation persists: Ge		
Precautionary Statements (Disposal):			
P501		ner in accordance with local regulations.	

Hazards not otherwise classified

When finely distributed, self-ignition is possible.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Hydroxycitronellal CAS Number: 107-75-5 Content (W/W): 80.0 - 100.0% Synonym: Hydroxycitronellal

4. First-Aid Measures

Description of first aid measures

Revision date: 2022/09/27 Version: 4.0

General advice:

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Seek medical attention.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Information on: Hydroxycitronellal

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, allergic contact dermatitis, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: carbon dioxide, dry powder, foam

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon oxides, harmful vapours The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

Impact Sensitivity:

Remarks:

Based on the chemical structure there is no shock-sensitivity.

Revision date: 2022/09/27 Version: 4.0

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust). For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities

Segregate from oxidants.

Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place. Protect from the effects of light.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design: Provide adequate exhaust ventilation to control work place concentrations.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Revision date: 2022/09/27 Version: 4.0

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value:	liquid flowery < 100 ppm colourless, clear approx. 7	
Melting point:	< -100 °C	(OECD Guideline 102)
Freezing point: Boiling point:	No data available. 240.49 °C (1,013.25 hPa) The substance / product decomposes.	(measured)
decomposition point:	> 140 °C (1,013.25 hPa) The substance / product decomposes.	(measured)
Flash point:	113 °C Literature data.	
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	. ,
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	210 °C	(DIN 51794)
Vapour pressure:	0.005472 hPa (20 °C) Extrapolated value	(measured)
Density:	0.9209 g/cm3 (20 °C)	(pyknometer)
Relative density:	0.9209 (20 °C)	(pyknometer)
Vapour density:	5.94 (20 °C) Heavier than air.	(calculated)
Partitioning coefficient n- octanol/water (log Pow): Self-ignition temperature:	1.68 (25 °C) Based on its structural properties the product is not classified as self- igniting.	(measured)

Revision date: 2022/09/27 Version: 4.0

Thermal decomposition:	30 - 400 °C (DSC (DIN 51007)) No exothermic decomposition within the r range.	mentioned temperature
Viscosity, dynamic:	31.9 mPa.s (20 °C) The value was determined by calculation from the detected kinematic viscosity.	(OECD 114)
	11.0 mPa.s (40 °C) The value was determined by calculation from the detected kinematic viscosity.	(OECD 114)
Viscosity, kinematic:	34.6 mm2/s (20 °C) 12.1 mm2/s	(OECD 114) (OECD 114)
Particle size:	(40 °C) The substance / product is marketed or used in a non solid or granular form.	
Solubility in water:	35 g/l (20 °C)	
Solubility (qualitative):	soluble solvents,	
Molar mass: Evaporation rate:	172.27 g/mol Value can be approximated from Henry's Law Constant or vapor pressure.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Oxidizing properties: Based on its structural properties the product is not classified as oxidizing. Formation of Remarks: Forms no flammable gases in the flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

When finely distributed, self-ignition is possible.

Conditions to avoid

Avoid contact with air. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

strong oxidizing agents, acids, bases

Revision date: 2022/09/27 Version: 4.0

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: 30 - 400 °C (DSC (DIN 51007)) No exothermic decomposition within the mentioned temperature range.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

<u>Oral</u> Type of value: LD50 Species: rat Value: > 6,400 mg/kg (similar to OECD guideline 401)

Inhalation No data available.

Dermal Type of value: LD50 Species: rabbit Value: > 2,000 mg/kg No mortality was observed.

<u>Assessment other acute effects</u> Assessment of STOT single: Based on available data, the classification criteria are not met.

Irritation / corrosion Assessment of irritating effects: Not irritating to the skin. Eye contact causes irritation.

<u>Skin</u> Species: rabbit Result: non-irritant Method: Directive 84/449/EEC, B.4

<u>Eye</u> Species: rabbit Result: Irritant. Method: BASF-Test

Revision date: 2022/09/27 Version: 4.0

<u>Sensitization</u> Assessment of sensitization: May cause sensitization by skin contact.

Species: mouse Result: sensitizing Method: similar to OECD guideline 429 Literature data.

<u>Aspiration Hazard</u> No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met. The results were determined in a Screening test.

Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. As the significance of these findings for human health is not clear at this time, further tests are being initiated.

Carcinogenicity

Assessment of carcinogenicity: No data available.

Reproductive toxicity

Assessment of reproduction toxicity: In high doses a potential to impair fertility cannot be fully excluded. The results were determined in a Screening test (OECD 421/422). As the significance of these findings for human health is not clear at this time, further tests are being initiated.

Teratogenicity

Assessment of teratogenicity: The potential to cause toxicity to development cannot be excluded when given in high doses. The results were determined in a Screening test (OECD 421/422). An investigation of a developmental toxic effect is currently in progress.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish LC50 (96 h) 31.6 mg/l, Leuciscus idus (DIN 38412 Part 15, static) The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates

LC50 (48 h) 410 mg/l, Daphnia magna (Directive 79/831/EEC, static) The details of the toxic effect relate to the nominal concentration.

Aquatic plants

Revision date: 2022/09/27 Version: 4.0

EC50 (72 h) 123.32 mg/l, Scenedesmus subspicatus (DIN 38412 Part 9, static) The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish No data available.

<u>Chronic toxicity to aquatic invertebrates</u> No data available.

<u>Assessment of terrestrial toxicity</u> No data available concerning terrestrial toxicity.

Microorganisms/Effect on activated sludge

<u>Toxicity to microorganisms</u> DIN 38412 Part 8 aerobic bacterium/EC10 (17 h): 625 mg/l The details of the toxic effect relate to the nominal concentration.

DIN EN ISO 8192-OECD 209-88/302/EEC,P. C aerobic activated sludge/EC20 (30 min): > 1,000 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O) Readily biodegradable (according to OECD criteria).

Elimination information

80 - 90 % BOD of the ThOD (28 d) (OECD Guideline 301 F) (aerobic, activated sludge)

Assessment of stability in water Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in accordance with national, state and local regulations.

Revision date: 2022/09/27 Version: 4.0

14. Transport Information

Land	transport
TDG	

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:ChemicalDSL, CAreleased / listed

NFPA Hazard codes: Health: 2 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by: BASF NA Product Regulations SDS Prepared on: 2022/09/27

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET